

Bioresonance Testing Report

safespace™

Michael B. Nokken, D.C.

M I C H A E L B . N O K K E N D . C .

July 6, 2000

Bioresonance testing was used to evaluate stress patterns in the body created by typical cell phone usage.

Nine people were tested before using a cell phone, while using their cell phone, and then again while using their phone with the SAFESPACETM. Thirty-two test variables were evaluated demonstrating different stress patterns in each case.

Electromagnetic field disturbance is commonly associated with the use of cell phones. In each test, the SAFESPACETM neutralized any EMF disturbance that was being created by the cell phone.

Notably, the other variables tested demonstrated an overall balancing and strengthening effect being created by the SAFESPACETM. In other words, not only was the EMF disturbance neutralized, but overall stress patterns were reduced in the body, creating readings that were healthier than the original test using no phone.

In most cases, the stress patterns were always increased by cell phone usage. The "Testing with SAFESPACETM column demonstrates that overall stress patterns in the body were decreased, often to a condition that was better than using no phone.

Sincerely,
Dr. Michael B. Nokken

SAFESPACE™ TEST RESULT NOTES

SUBJECT ONE

General Conclusion

- ❑ The Safespace eliminated EMF Stress before and during cell phone use (lines 2–8).
- ❑ Decreased vitality was restored to normal or “good vitality” using Safespace (line 1).
- ❑ The Safespace improved the extent to which DNA was being negatively affected so that it was not detectable (lines 30-36).

SUBJECT TWO

General Conclusion

This subject had notable EMF disturbance before and during cell phone usage.

- ❑ The Safespace eliminated all EMF stress (lines 2–8).
- ❑ Vitality readings were improved to normal or “good vitality” when using the Safespace (line 1).
- ❑ Organ stress was reduced and no detectable DNA stress was found while using the Safespace (lines 26-36).

SUBJECT THREE

General Conclusion

- ❑ Presenting magnetic field disturbance and EMF stress created by cell phone usage were both eliminated by the Safespace (lines 2-8).
- ❑ Vitality readings were improved from a mild decrease to “good vitality” (line 1).
- ❑ The extent to which DNA was negatively affected in the respective “stressed organs” was lessened by the Safespace (lines 30-36).

SUBJECT FOUR

General Conclusion

- ❑ EMF stress created by cell phone usage was eliminated by the Safespace (lines 2-8)
- ❑ Vitality readings improved from a moderate decrease (initial test and with cell phone use) to “good vitality” (line 1).
- ❑ In this test, the use of a cell phone demonstrated many areas of neuroendocrine and central nervous system stress (lines 11, 12, 15, 16, 17, 26) all of which were eliminated by the Safespace.

SUBJECT FIVE

General Conclusion

This test showed the seeming paradoxical effect of added EMF’s to a biological system.

- ❑ Vitality readings and EMF disturbance improved with both the cell phone and the cell phone with the Safespace (lines 1-8).
- ❑ However, numerous areas of organ and DNA stress occurred while using the cell phone (lines 10, 12, 17, 18, 20, 21, 23-28, 30-36). The Safespace eliminated the majority of these stress patterns.

SUBJECT SIX

General Conclusion

- ❑ Use of a cell phone created demonstrable stress in the thalamus and circulatory systems (lines 6, 11-12, 20-22).
- ❑ The Safespace eliminated all stress readings involving the thalamic and emotional centers of the brain and reduced the level of circulatory stress.
- ❑ The Safespace reduced the extent to which DNA was negatively affected in the respective organs (lines 30-36).

SUBJECT SEVEN

General Conclusion

- ❑ EMF stress before and during cell phone usage was entirely eliminated by the Safespace (line 2-8).
- ❑ Vitality readings which had been reduced severely with cell phone use were restored to normal or “good vitality” (line 1).
- ❑ Neuroendocrine stress (lines 6-8) created by the cell phone was reduced, as was organ involvement (lines 26-29) and the extent to which DNA was being negatively affected (lines 30-36).

SUBJECT EIGHT

General Conclusion

- ❑ This subject demonstrated no obvious EMF stress during cell phone usage (lines 2-8). This was likely due to the initial normal vitality reading (line 1) showing this person to be fairly resilient and healthy.
- ❑ The cell phone demonstrated clear stress readings in regions of the brain (lines 11-12) and neuroendocrine organs (lines 15-17) and especially the heart (lines 13, 26).
- ❑ Remarkably, nearly all of the stress was eliminated including a very significant reduction of DNA stress once the Safespace was used.

SUBJECT NINE

General Conclusion

- ❑ EMF stress for the cell phone was eliminated by the Safespace (lines 2-8) and vitality readings were brought to normal or “good vitality” (line 1).
- ❑ Interestingly in this test, dental involvement before and during the cell phone tests (lines 7, 14, 19) were eliminated while using the Safespace.
- ❑ The extent to which DNA was negatively affected in the respective organs was reduced by use of the Safespace (lines 30-36).

SUBJECT TEN

General Conclusion

- ❑ EMF stress from cell phone usage was eliminated by the Safespace (line 7).
- ❑ Presenting magnetic field disturbance was also eliminated (line 6).
- ❑ Vitality readings were improved from a moderate decrease in vitality to normal or “good vitality” (line 1).
- ❑ The extent of organ imbalance was diminished and shifted to a less significant organ focus (from heart and hypothalamus to the thyroid) (lines 26-29).
- ❑ The extent to which DNA was being negatively affected in the respective primary organs of involvement was lessened by the Safespace (lines 30-36).